

2006

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

37

Goochland County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
-  Bypass - Bypass Route
-  Truck - Truck Route
- ALT
 ALT - Alternate Route
- Wve
 Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Fluvanna County Line, ECL Columbia															
6 River Rd West	Goochland County	6.01	1500	F	93%	1%	2%	2%	3%	0%	C	0.098	F	0.718	1600	F
	To: SR 45 Georges Tavern															
6 River Rd West	Goochland County	6.47	3700	F	93%	1%	2%	2%	3%	0%	F	0.093	F	0.719	3800	F
	To: 37-600 Rock Castle Rd															
6 River Rd West	Goochland County	3.41	5200	F	93%	1%	2%	2%	3%	0%	F	0.099	F	0.800	5300	F
	To: US 522 W, Sandy Hook Rd															
6 522 River Road West	Goochland County	1.74	7400	F	93%	2%	1%	0%	3%	0%	F	0.092	F	0.557	7600	F
	To: E US 522															
6 River Rd West	Goochland County	4.95	4300	F	96%	1%	1%	1%	1%	0%	C	0.106	F	0.618	4400	F
	To: US 522 E, Maidens Rd															
6 River Rd West	Goochland County	6.62	5900	F	98%	0%	1%	1%	0%	0%	F	0.104	F	0.579	6000	F
	To: 37-628 Lee Rd															
6 Patterson Ave	Goochland County	1.84	10000	F	95%	1%	1%	2%	1%	0%	C	0.098	F	0.575	10000	F
	To: SR 288															
6 Patterson Ave	Goochland County	2.36	17000	F	98%	0%	1%	1%	0%	0%	C	0.108	F	0.645	17000	F
	To: Henrico County Line															
45	Goochland County	2.47	960	F	96%	1%	2%	0%	1%	0%	F	0.088	F	0.726	980	F
	To: 37-707															
45	Goochland County	2.57	1500	F	96%	1%	2%	0%	1%	0%	C	0.091	F	0.646	1500	F
	To: SR 6 Georges Tavern															
East 64	Goochland County	1.11	12000	F	87%	1%	1%	1%	11%	0%	F	0.084	F		11000	F
	From: Maintenance Boundary															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		24000	F	87%	1%	1%	1%	11%	0%	F	0.078	F	0.508	22000	F
East 64	Goochland County	3.92	13000	F	87%	1%	1%	1%	11%	0%	F	0.084	F		12000	F
	From: 37-605 Shannon Hill Rd															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		26000	F	87%	1%	1%	1%	11%	0%	F	NA		24000	F	
East 64	Goochland County	5.20	13000	F	87%	1%	1%	1%	11%	0%	F	0.075	F		12000	F
	From: 37-629 Old Fredericksburg Rd															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		26000	F	87%	1%	1%	1%	11%	0%	F	0.077	F	0.521	24000	F
East 64	Louisa County (Maint: 37)	1.49	13000	F	87%	1%	1%	1%	11%	0%	F	0.075	F		12000	F
	From: Goochland County Line															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		26000	F	87%	1%	1%	1%	11%	0%	F	NA		24000	F	
	To: US 522 Cross County Rd															

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: US 522 Cross County Rd															
	Louisa County (Maint: 37)	3.07	17000	F	87%	1%	1%	1%	11%	0%	F	0.092	F	15000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			32000	F	87%	1%	1%	1%	11%	0%	F	NA		30000	F	
East 64	To: Goochland County Line															
	From: Louisa County Line	Goochland County	4.81	17000	F	87%	1%	1%	1%	11%	0%	F	0.092	F	15000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			32000	F	87%	1%	1%	1%	11%	0%	F	0.080	F	0.584	30000	F
East 64	To: 37-617 Oilville Rd															
	From: Goochland County	6.56	21000	F	87%	1%	1%	1%	11%	0%	F	0.118	F	19000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			41000	F	87%	1%	1%	1%	11%	0%	F	0.086	F	0.679	38000	F
East 64	To: 37-623 Ashland Rd															
	From: Goochland County	1.19	25000	F	87%	1%	1%	1%	11%	0%	F	0.11	F	23000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			50000	F	87%	1%	1%	1%	11%	0%	F	0.087	F	0.628	47000	F
East 64	To: SR 288															
	From: Goochland County	0.64	35000	N	87%	1%	1%	1%	11%	0%	N	0.12	N	33000	N	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			68000	N	87%	1%	1%	1%	11%	0%	N	NA		63000	N	
West 64	To: Henrico County Line															
	From: Maintenance Boundary	Goochland County	1.50	12000	F	87%	1%	1%	1%	11%	0%	F	0.077	F	12000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			24000	F	87%	1%	1%	1%	11%	0%	F	0.078	F	0.508	22000	F
West 64	To: 37-605 Shannon Hill Rd															
	From: Goochland County	3.92	13000	F	87%	1%	1%	1%	11%	0%	F	0.080	F	12000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			26000	F	87%	1%	1%	1%	11%	0%	F	NA		24000	F	
West 64	To: 37-629 Old Fredericksburg Rd															
	From: Goochland County	4.75	13000	F	87%	1%	1%	1%	11%	0%	F	0.082	F	12000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			26000	F	87%	1%	1%	1%	11%	0%	F	0.077	F	0.521	24000	F
West 64	To: Louisa County Line															
	From: Goochland County Line	Louisa County (Maint: 37)	2.03	13000	F	87%	1%	1%	1%	11%	0%	F	0.082	F	12000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			26000	F	87%	1%	1%	1%	11%	0%	F	NA		24000	F	
West 64	To: US 522 Cross County Rd															
	From: Louisa County (Maint: 37)	2.61	16000	F	87%	1%	1%	1%	11%	0%	F	0.095	F	15000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			32000	F	87%	1%	1%	1%	11%	0%	F	NA		30000	F	
West 64	To: Goochland County Line															
	From: Louisa County Line	Goochland County	5.02	16000	F	87%	1%	1%	1%	11%	0%	F	0.095	F	15000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			32000	F	87%	1%	1%	1%	11%	0%	F	0.080	F	0.584	30000	F
	To: 37-617 Oilville Rd															

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: 37-617 Oilville Rd															
	Goochland County	6.56	21000	F	87%	1%	1%	1%	11%	0%	F	0.109	F	19000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	F	87%	1%	1%	1%	11%	0%	F	0.086	F	0.679	38000	F
West 64	From: 37-623 Ashland Rd															
	Goochland County	0.71	26000	F	87%	1%	1%	1%	11%	0%	F	0.105	F	24000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		50000	F	87%	1%	1%	1%	11%	0%	F	0.087	F	0.628	47000	F
West 64	From: SR 288															
	Goochland County	0.74	33000	G	87%	1%	1%	1%	11%	0%	F	0.13	F	31000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		68000	N	87%	1%	1%	1%	11%	0%	N	NA		63000	N	
250	From: Fluvanna County Line															
	Goochland County (Maint: 54)	2.05	1300	N	97%	1%	1%	0%	1%	0%	N	0.094	N	0.721	1300	N
250	From: 37-605 Shannon Hill															
	Goochland County (Maint: 54)	0.29	1700	G	97%	1%	1%	0%	1%	0%	F	0.094	F	0.505	1800	G
250	From: Richmond Maintenance															
	Goochland County	3.23	1400	F	97%	1%	1%	0%	1%	0%	C	0.095	F	0.548	1400	F
250	From: 37-606 Three Chopt Rd; Hadensville-Fife Rd															
	Goochland County	6.80	1100	F	97%	1%	1%	0%	1%	0%	F	0.102	F	0.525	1100	F
250	From: Louisa County Line															
	Louisa County (Maint: 37)	0.48	2400	F	97%	1%	1%	0%	1%	0%	F	0.094	F	0.694	2500	F
250	From: US 522 Gum Spring															
	Louisa County (Maint: 37)	1.63	1700	F	96%	1%	1%	1%	1%	0%	C	0.102	F	0.658	1700	F
250	From: Goochland County Line															
	Goochland County	6.72	2800	F	98%	0%	1%	0%	1%	0%	C	0.103	F	0.758	2800	F
250	From: 37-670 Cardwell Rd															
	Goochland County	5.56	6300	F	98%	0%	1%	0%	1%	0%	F	0.108	F	0.683	6400	F
250	From: 37-621 Manakin Rd															
	Goochland County	0.49	12000	F	98%	0%	1%	0%	1%	0%	F	0.099	F	0.643	12000	F
250	From: 37-623 Hockett Rd															
	Goochland County	1.47	11000	F	97%	0%	1%	1%	1%	0%	C	0.096	F	0.748	11000	F
250	From: SR 288															
	Goochland County	0.28	23000	F	99%	0%	1%	0%	0%	0%	F	0.1	F	0.561	24000	F
271	From: Henrico County Line															
	Goochland County	0.53	5800	F	94%	0%	1%	4%	1%	0%	C	0.113	F	0.566	6000	F
	To: Hanover County Line															

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
288	Goochland County	1.57	40000	A	95%	0%	1%	1%	3%	0%	C	0.141	A	0.691	45000	A
288	Goochland County	0.64	32000	F	95%	0%	1%	1%	3%	0%	F	0.117	F	0.708	38000	F
288	Goochland County	1.68	32000	F	95%	0%	1%	1%	3%	0%	F	0.115	F	0.652	37000	F
288	Goochland County	1.79	41000	A	95%	0%	1%	1%	3%	0%	C	0.147	A	0.515	48000	A
288	Goochland County	0.85	35000	A	94%	0%	1%	2%	3%	0%	C	0.148	A	0.507	41000	A
522	Maidens Rd	0.38	4000	F	94%	1%	1%	1%	3%	0%	F	0.107	F	0.643	4100	F
522	River Road West	1.74	7400	F	93%	2%	1%	0%	3%	0%	F	0.092	F	0.557	7600	F
522	Sandy Hook Rd	6.24	4200	F	93%	2%	1%	0%	3%	0%	C	0.101	F	0.554	4300	F
522	Sandy Hook Rd	0.35	4500	F	94%	1%	1%	1%	3%	0%	F	0.107	F	0.632	4600	F

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(F84) Fleming Rd	0.27	180	R								NA			NA		08/22/2006
(F85) Ange Rd	0.73	80	R								NA			NA		08/24/2006
(F86) Aspen Rd	0.14	9	R								NA			NA		08/24/2006
(F88) Junction Rd	0.13	48	R								NA			NA		03/30/2006
Louisa County																
(F89) Atkinson Rd	1.06	NA									NA			NA		
Goochland County																
(F91) Goosewing Rd	0.25	220	R								NA			NA		02/16/2006
(F92) Landis Rd	0.47	100	R								NA			NA		02/16/2006
(F94) Bennington Rd	0.84	80	R								NA			NA		02/27/2006
(F1067)	0.21	NA									NA			NA		
(F1068)	0.26	NA									NA			NA		
(674) Timber Rd	0.20	20	R								NA			NA		11/04/2002
(674) Timber Rd	0.20	110	R								NA			NA		06/29/2005
(600) Rock Castle Rd	1.50	46	R								NA			NA		08/22/2006
(600) Rock Castle Rd	2.64	620	R								NA			NA		08/22/2006
(600) Rock Castle Rd	3.73	1000	R								NA			NA		08/22/2006
(600) Rock Castle Rd	0.53	300	R								NA			NA		08/22/2006
(601) Pryor Rd	2.19	360	R								NA			NA		05/09/2003
(602) Old Stage Rd	0.50	60	R								NA			NA		08/24/2006
(603) Elk Island Rd	1.23	30	R								NA			NA		08/22/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(603) Elk Island Rd	2.21	80	R									NA		NA		08/22/2006
			From: SR 6 River Rd West													
			To: 37-667 W, Old Columbia Rd													
(603) Tabscott Rd	2.30	150	R									NA		NA		08/22/2006
			From: 37-667 E, Old Columbia Rd													
			To: 37-610 E, Community House Rd													
(603) Tabscott Rd	2.35	70	R									NA		NA		08/22/2006
			From: 37-610 W, Community House Rd													
			To: 2.35 MN 37-610													
(603) Tabscott Rd	0.51	70	R									NA		NA		08/22/2006
			From: 37-688 Pink Dogwood Rd													
(603) Tabscott Rd	4.70	190	R									NA		NA		08/22/2006
			From: Fluvanna County Line													
			To: US 250													
(604) Whitsell Rd	0.44	500	R									NA		NA		03/09/2003
			From: Louisa County Line													
			To: Fluvanna County Line													
(605) Shannon Hill Rd	0.95	560	R									NA		NA		08/22/2006
			From: 37-610 Community House Rd													
(605) Shannon Hill Rd	3.92	440	R									NA		NA		08/22/2006
			From: 37-603 Tabscott Rd													
(605) Shannon Hill Rd	1.95	420	R									NA		NA		08/22/2006
			From: US 250													
(605) Shannon Hill Rd	0.40	1600	F	97%	1%	1%	1%	1%	0%	F	0.116	F	0.849	1700	F	2006
			From: 0.40 MN US 250													
(605) Shannon Hill Rd	0.15	1400	G	97%	1%	1%	1%	1%	0%	F	0.116	N	0.849	1400	G	2006
			From: I-64													
(605) Shannon Hill Rd	0.31	1300	F	97%	1%	1%	1%	1%	0%	C	0.109	F	0.523	1300	F	2006
			From: Louisa County Line													
(606) Hadensville-Fife Rd	1.07	1200	F	96%	1%	1%	1%	0%	0%	C	0.128	F	0.565	1200	F	2006
			From: SR 6 River Rd West													
(606) Hadensville-Fife Rd	3.12	690	F	96%	1%	1%	1%	0%	0%	F	0.138	F	0.561	710	F	2006
			From: 37-667 Old Columbia Rd													
(606) Hadensville-Fife Rd	0.02	950	F	96%	1%	1%	1%	0%	0%	F	0.119	F	0.526	970	F	2006
			From: 37-648 Matthews Rd													
(606) Hadensville-Fife Rd	3.04	760	F	96%	1%	1%	1%	0%	0%	F	0.130	F	0.532	780	F	2006
			From: 37-673 Whitehall Rd													
(606) Hadensville-Fife Rd	1.52	1200	F	96%	1%	1%	1%	0%	0%	F	0.103	F	0.612	1200	F	2006
			From: 37-609 S, Hickory Hill Rd													
(606) Hadensville-Fife Rd	0.38	780	R									NA		NA		05/09/2003
			From: 37-629 Old Fredericksburg Rd													
			To: US 250													
(606) Three Chopt Rd	1.67	720	R									NA		NA		05/09/2003
			From: Louisa County Line													
			To: Dead End													
(607) Irwin Rd	0.40	10	R									NA		NA		08/22/2006
			From: SR 6 River Rd West													
(607) Jackson Shop Rd	3.15	360	R									NA		NA		08/22/2006
			From: US 522 Sandy Hook Rd													
			To: Dead End													
(608) Elk Hill Rd	1.70	310	R									NA		NA		05/09/2003
			From: SR 6 River Rd West													
(608) Davis Mill Rd	1.20	360	R									NA		NA		08/22/2006
			From: 37-606 Hadensville-Fife Rd													

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(608) Davis Mill Rd	4.93	390	R											NA		08/05/2003
(609) Hickory Hill Rd	2.30	240	R											NA		08/24/2006
(609) Three Chopt Rd	3.00	300	R											NA		08/24/2006
(610) Community House Rd	5.70	380	R											NA		05/09/2003
(611) Cedar Plains Rd	4.13	350	R											NA		08/24/2006
(612) Three Chopt Rd	2.05	420	R											NA		03/19/2003
(612) Three Chopt Rd	1.45	410	R											NA		03/19/2003
(613) Riddles Bridge Rd	3.81	330	R											NA		08/24/2006
(614) Dogtown Rd	2.70	520	R											NA		03/20/2003
(614) Dogtown Rd	1.25	1800	R											NA		03/20/2003
(615) Chapel Hill Rd	4.30	300	R											NA		08/24/2006
(615) Forest Grove Rd	3.15	430	R											NA		08/24/2006
(616) Stokes Station Rd	0.40	30	R											NA		03/26/2003
(616) Stokes Station Rd	1.50	260	R											NA		08/05/2003
(616) Stokes Station Rd	0.97	340	R											NA		03/26/2003
(616) Haskins Rd	3.13	680	R											NA		08/24/2006
(617) Oilville Rd	0.72	9100	F	96%	0%	1%	1%	2%	0%	C	0.105	F	0.579	9300	F	2006
(617) Oilville Rd	0.25	4800	F	96%	0%	1%	1%	2%	0%	F	0.106	F	0.792	4900	F	2006
(617) Oilville Rd	0.20	3600	F	96%	0%	1%	1%	2%	0%	F	0.107	F	0.721	3700	F	2006
(617) Oilville Rd	0.33	2400	F	96%	0%	1%	1%	2%	0%	F	0.107	F	0.86	2500	F	2006
(618) Whittcamp Rd	3.10	160	R											NA		08/22/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(619) Newline Rd	0.95	680	R								NA			NA		06/11/2003
(620) Hanover Rd	0.80	950	F	97%	1%	1%	0%	0%	0%	C	0.11	F	0.509	970	F	2006
(620) Hanover Rd	0.80	590	F	97%	1%	1%	0%	0%	0%	F	0.109	F	0.507	610	F	2006
(621) Manakin Ferry Rd	0.70	50	R								NA			NA		02/13/2006
(621) Manakin Rd	5.95	760	F	97%	1%	2%	0%	0%	0%	C	0.104	F	0.56	780	F	2006
(621) Manakin Rd	0.58	3700	F	97%	1%	2%	0%	0%	0%	F	0.088	F	0.566	3800	F	2006
(621) Manakin Rd	2.74	1800	F	98%	0%	1%	0%	1%	0%	C	0.107	F	0.637	1900	F	2006
(621) Manakin Rd	0.39	640	F	98%	0%	1%	0%	1%	0%	F	0.125	F	0.521	650	F	2006
(622) Three Chopt Rd	1.60	490	R								NA			NA		03/19/2003
(622) Rockville Rd	2.35	2000	F	98%	0%	1%	0%	1%	0%	C	0.107	F	0.674	2000	F	2006
(623) Hockett Rd	1.42	1200	F	94%	1%	2%	3%	2%	0%	F	0.107	F	0.531	1300	F	2006
(623) Hockett Rd	3.72	1600	F	94%	1%	2%	3%	2%	0%	F	0.111	F	0.646	1700	F	2006
(623) Ashland Rd	1.17	8100	F	94%	1%	2%	3%	2%	0%	C	0.101	F	0.627	8300	F	2006
(623) Ashland Rd	2.38	6200	F	86%	1%	2%	7%	4%	0%	C	0.114	F	0.562	6300	F	2006
(624) Vinita Rd	0.35	80	R								NA			NA		02/13/2006
(625) Three Square Rd	1.50	390	R								NA			NA		03/26/2003
(625) St Pauls Church Rd	2.65	400	R								NA			NA		03/26/2003
(626) Seay Rd	2.85	530	R								NA			NA		02/27/2006
(627) Ben Lomond Rd	1.35	30	R								NA			NA		08/22/2006
(628) Lee Rd	0.92	100	R								NA			NA		02/15/2006
(628) Lee Rd	1.48	260	R								NA			NA		02/15/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(629) Old Fredericksburg Rd	0.30	630	F	97%	1%	From: 37-606 Hadensville-Fife Rd				C	0.122	F	0.738	640	F	2006
(629) Old Fredericksburg Rd	0.78	1700	F	96%	1%	To: US 250				C	0.109	F	0.761	1800	F	2006
(629) Old Fredericksburg Rd	2.04	650	R			From: I-64								NA		05/09/2003
						To: Louisa County Line										
(630) Cedar Point Rd	0.70	60	R			From: Dead End								NA		02/27/2006
						To: SR 6 River Rd West										
(631) Scott Rd	0.25	20	R			From: Dead End								NA		03/20/2003
(631) Scott Rd	0.25	120	R			From: 37-666 Gathright Dr								NA		03/20/2003
(631) Scott Rd	0.15	190	R			From: 37-1205 Pitts Ave								NA		03/20/2003
						To: US 522 River Road West										
(632) Fairground Rd	1.66	6400	F	96%	1%	From: US 522 Sandy Hook Rd				C	0.091	F	0.618	6500	F	2006
(632) Fairground Rd	1.32	6800	F	96%	1%	From: 37-634 Maidens Rd				F	0.094	F	0.641	7000	F	2006
(632) Fairground Rd	2.16	6800	F	96%	1%	From: 37-637 Hawk Town Rd				F	0.097	F	0.63	7000	F	2006
						To: US 250 Broad Street Rd										
(633) Poor House Rd	2.12	300	R			From: US 522 Sandy Hook Rd								NA		03/14/2006
						To: 37-634 Maidens Rd										
(634) Maidens Rd	2.40	2700	R			From: US 522 River Road West; Maidens Rd								NA		03/20/2003
(634) Maidens Rd	1.50	680	R			From: 37-632 Fairground Rd								NA		03/20/2003
(634) Maidens Rd	1.80	460	R			From: 37-637 Hawk Town Rd								NA		03/20/2003
(634) Maidens Rd	0.50	230	R			From: 37-702 Pony Farm Rd								NA		03/20/2003
(634) Maidens Rd	0.20	300	R			From: 37-672 Turner Rd								NA		03/20/2003
						To: US 250 Broad Street Rd										
(635) Camelback Rd	1.15	760	R			From: 37-637 Hawk Town Rd								NA		02/27/2006
						To: US 250 E, Broad Street Rd										
(635) Perkinsville Church Rd	1.90	220	F	95%	2%	From: US 250 W, Broad Street Rd				C	0.122	F	0.519	220	F	2006
						To: Louisa County Line										
(636) Elpis Church Rd	0.70	340	R			From: US 250 Broad Street Rd								NA		03/14/2006
						To: 37-702 Pony Farm Rd										
(637) Hawk Town Rd	1.50	280	R			From: 37-632 Fairground Rd								NA		03/14/2006
						To: 37-634 Maidens Rd										
(638) Soldiers Lodge Rd	0.27	60	R			From: Dead End								NA		03/14/2006
						To: 37-639 Sheppard Town Rd										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(639) Sheppard Town Rd	5.08	1100	R								NA			NA		08/24/2006
(640) Rochelle Rd	0.24	120	R								NA			NA		03/19/2003
(641) Taylor Rd	0.64	620	R								NA			NA		02/16/2006
(641) Genito Rd	1.55	320	R								NA			NA		02/16/2006
(641) Shallow Well Rd	1.95	360	R								NA			NA		02/16/2006
(642) Dover Rd	1.90	300	R								NA			NA		03/19/2003
(643) West View Rd	1.10	60	R								NA			NA		08/22/2006
(644) Sabot Station Rd	0.08	10	R								NA			NA		03/19/2003
(644) Miller Lane	4.50	720	R								NA			NA		03/19/2003
(645) Beaverdam Creek Rd	1.33	560	R								NA			NA		02/16/2006
(646) Duval Rd	2.47	200	R								NA			NA		08/22/2006
(647) Pagebrook Dr	0.60	860	R								NA			NA		02/13/2006
(647) Pagebrook Dr	0.10	1000	R								NA			NA		02/13/2006
(647) Pagebrook Dr	0.45	1000	R								NA			NA		02/13/2006
(648) Matthews Rd	2.00	250	R								NA			NA		05/09/2003
(649) Blair Rd	1.00	1300	R								NA			NA		02/13/2006
(650) River Rd	4.37	3800	F	98%	0%	1%	0%	0%	0%	C	0.116	F	0.515	3900	F	2006
(651) Lowry Rd	2.80	160	R								NA			NA		05/09/2003
(652) Dadneys Rd	0.15	110	R								NA			NA		08/22/2006
(653) Three Chopt Rd	1.00	140	R								NA			NA		08/22/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Gochland County																
(653) Three Chopt Rd	0.85	140	R				From: 37-683 Parrish Rd				NA			NA		08/22/2006
							To: 37-604 Whitsett Rd									
(654) Shallow Well Rd	3.64	630	R				From: 37-641 Shallow Well Rd; Genito Rd				NA			NA		08/27/2006
							To: 37-620 Hanover Rd									
(655) First Union Rd	0.12	90	R				From: 37-670 Cardwell Rd				NA			NA		02/16/2006
							To: Dead End									
(656) Leabough Rd	0.60	80	R				From: Dead End				NA			NA		08/24/2006
							To: 37-614 Dogtown Rd									
(657) Sargent Rd	0.50	90	R				From: 37-670 Cardwell Rd				NA			NA		02/16/2006
							To: Dead End									
(658) Pace Rd	0.50	120	R				From: Dead End				NA			NA		08/22/2006
							To: 37-606 Hadensville-Fife Rd									
(659) Creekmore Rd	0.25	300	R				From: SR 6 Patterson Ave				NA			NA		02/13/2006
							To: Dead End									
(660) Childress Rd	0.25	20	R				From: Dead End				NA			NA		02/27/2006
							To: 37-622 Rockville Rd									
(661) Salmontown Rd	0.55	140	R				From: Dead End				NA			NA		08/22/2006
							To: 37-625 St Pauls Church Rd									
(662) Willway Dr	0.05	1000	R				From: SR 6 River Rd West				NA			NA		02/13/2006
							To: 37-663 Hickory Dr; 37-664 Dogwood Dr									
(662) Willway Dr	0.30	400	R				From: 37-663 Hickory Dr; 37-664 Dogwood Dr				NA			NA		02/13/2006
							To: 37-714 Sawdust Dr									
(662) Willway Dr	0.14	300	R				From: 37-714 Sawdust Dr				NA			NA		02/13/2006
							To: 37-1040 Edgehill Wood Dr									
(662) Willway Dr	0.09	230	R				From: 37-1040 Edgehill Wood Dr				NA			NA		02/13/2006
							To: 37-1046 Red Maple Dr									
(662) Willway Dr	0.40	NA					From: 37-1046 Red Maple Dr				NA			NA		
							To: Cul-de-Sac									
(663) Hickory Dr	0.17	380	R				From: 37-662 Willway Dr				NA			NA		03/19/2003
							To: 37-709 Holly Dr									
(663) Hickory Dr	0.18	110	R				From: 37-709 Holly Dr				NA			NA		03/19/2003
							To: 37-714 Sawdust Dr									
(663) Hickory Dr	0.13	160	R				From: 37-714 Sawdust Dr				NA			NA		03/19/2003
							To: 37-1045 Red Cedar Dr									
(663) Old Hickory Dr	0.17	150	R				From: 37-1045 Red Cedar Dr				NA			NA		03/19/2003
							To: 37-1046 Red Maple Dr									
(663) Old Hickory Dr	0.24	160	R				From: 37-1046 Red Maple Dr				NA			NA		03/19/2003
							To: 37-1047									
(663) Old Hickory Dr	0.10	NA					From: 37-1047				NA			NA		
							To: Cul-de-Sac									
(664) Dogwood Dr	0.22	140	R				From: Dead End				NA			NA		02/13/2006
							To: 37-662; 37-663									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(665) Landfill Rd	0.15	210	R								NA			NA		03/20/2003
(666) Gathright Dr	0.60	230	R								NA			NA		03/20/2003
(667) Old Columbia Rd	3.10	270	R								NA			NA		08/22/2006
(667) Old Columbia Rd	3.52	260	R								NA			NA		08/22/2006
(668) Snead Rd	0.66	490	R								NA			NA		03/19/2003
(669) County Line Rd	3.40	190	R								NA			NA		08/22/2006
(669) County Line Rd	0.18	210	R								NA			NA		08/22/2006
(670) Cardwell Rd	5.20	1000	F	96%	1%	2%	1%	1%	0%	C	0.11	F	0.541	1000	F	2006
(671) Cemetery Lane	0.12	20	R								NA			NA		08/24/2006
(672) Turner Rd	2.10	350	R								NA			NA		03/13/2006
(673) Whitehall Rd	4.91	1100	F	98%	1%	1%	0%	0%	0%	F	0.105	F	0.783	1100	F	2006
(673) Whitehall Rd	2.00	2000	F	98%	1%	1%	0%	0%	0%	C	0.100	F	0.808	2000	F	2006
(675) Ranson Rd	0.01	60	R								NA			NA		06/11/2003
(675) Ranson Rd	0.34	60	R								NA			NA		06/11/2003
(676) Hermitage Rd	0.43	710	R								NA			NA		02/13/2006
(676) Hermitage Rd	1.38	520	R								NA			NA		02/13/2006
(676) Hermitage Rd	2.85	1400	R								NA			NA		02/13/2006
(677) Bowles Rd	0.20	10	R								NA			NA		09/22/2006
(678) Marlin Rd	1.00	190	R								NA			NA		08/22/2006
(679)	0.16	20	R								NA			NA		08/22/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(680) Youngstown Rd	0.88	60	R									NA		NA		08/24/2006
(681) Payne Rd	2.00	120	R									NA		NA		08/22/2006
(683) Parrish Rd	0.29	130	R									NA		NA		05/09/2003
(684) Ragland Rd	0.80	130	R									NA		NA		08/22/2006
(685) Johnson Rd	0.50	620	R									NA		NA		03/19/2003
(686) New Town Rd	0.85	230	R									NA		NA		08/22/2006
(687) Danieltown Rd	2.50	260	R									NA		NA		08/24/2006
(688) Pink Dogwood Rd	0.50	20	R									NA		NA		08/22/2006
(689) Robinson Rd	0.30	70	R									NA		NA		08/24/2006
(689) Robinson Rd	0.20	120	R									NA		NA		08/24/2006
(690) Springfield Rd	0.35	110	R									NA		NA		08/24/2006
(691) Stage Coach Rd	0.25	160	R									NA		NA		02/16/2006
(692) Bell Rd	0.50	110	R									NA		NA		08/24/2006
(693) Martin Rd	0.60	46	R									NA		NA		08/22/2006
(694) Proffitt Rd	0.48	140	R									NA		NA		05/09/2003
(695) Waddy Dr	0.40	160	R									NA		NA		08/22/2006
(696) Pacetown Rd	0.59	210	R									NA		NA		08/24/2006
(697) Marle Rd	0.36	9	R									NA		NA		08/22/2006
(698) Mickeytown Rd	0.12	70	R									NA		NA		03/13/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(699) Three Chopt Rd	1.30	200	R			From: 37-606 Three Chopt Rd					NA			NA		05/09/2003
(699) Three Chopt Road	0.20	60	R			To: 37-695 Waddy Dr					NA			NA		08/22/2006
(699) Three Chopt Rd	1.35	120	R			From: US 250					NA			NA		08/22/2006
						To: 37-669 County Line Rd										
(700) Three Chopt Rd	3.20	760	R			From: US 250 WEST					NA			NA		03/30/2006
						To: US 250 EAST										
(701) Oakland Church Rd	0.35	470	R			From: US 250 Broad Street Rd					NA			NA		03/20/2003
						To: Louisa County Line										
(702) Pony Farm Rd	0.20	430	R			From: 37-634 Maidens Rd					NA			NA		03/13/2006
(702) Pony Farm Rd	0.70	230	R			To: US 250 Broad Street Rd					NA			NA		03/13/2006
(702) Pony Farm Rd	0.90	410	R			From: 37-636 Elpis Church Rd					NA			NA		03/13/2006
						To: 37-635 W, Perkinsville Church Rd										
(702) Pony Farm Rd	3.25	400	R			From: 37-635 E, Perkinsville Church Rd					NA			NA		03/13/2006
						To: 37-617 Oilville Rd										
(703) Herndon Rd	0.30	60	R			From: Dead End					NA			NA		08/22/2006
						To: 37-601 Pryor Rd										
(704) Alvis Rd	0.40	160	R			From: Dead End					NA			NA		02/16/2006
						To: 37-612 Three Chopt Rd										
(705)	0.60	390	R			From: Cul-de-Sac					NA			NA		06/11/2003
						To: US 250										
(706) Jerusalem Church Rd	0.23	30	R			From: 37-612 Three Chopt Rd					NA			NA		02/16/2006
						To: Dead End										
(707) Hackney Rd	0.33	100	R			From: Dead End					NA			NA		03/26/2003
						To: SR 45										
(708) St Matthew Lane	0.71	790	R			From: US 250 Broad Street Rd					NA			NA		02/27/2006
(708) St Matthew Lane	0.22	40	R			To: 37-622 Rockville Rd					NA			NA		02/27/2006
						To: Dead End										
(709) Holly Dr	0.18	120	R			From: 37-663 Hickory Dr					NA			NA		03/19/2003
						To: Cul-de-Sac										
(710) Maidens Loop	0.11	30	R			From: US 522 N, Maidens Rd					NA			NA		02/27/2006
						To: Dead End										
(711)	0.03	5	R			From: Dead End					NA			NA		03/20/2000
						To: 37-710 Maidens Loop										
(712) Windsor Way	1.07	120	R			From: Begin Loop					NA			NA		02/13/2006
						To: End Loop										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(712) Devon Way	0.54	380	R				From: End Loop				NA		NA			02/13/2006
							To: 37-621 Manakin Rd									
(713) Grays Lane	0.20	70	R				From: Dead End				NA		NA			03/20/2003
							To: 37-614 Dogtown Rd									
(714) Sawdust Dr	0.25	100	R				From: Cul-de-Sac				NA		NA			02/13/2006
							To: 37-662 Willway Dr									
(714) Sawdust Dr	0.18	60	R				From: 37-715 Birch Circle				NA		NA			02/13/2006
							To: 37-663 Hickory Dr									
(714) Sawdust Dr	0.07	50	R				From: 37-714 Sawdust Dr				NA		NA			02/13/2006
							To: Cul-de-Sac									
(715) Birch Circle	0.08	60	R				From: Dead End				NA		NA			03/19/2003
							To: US 522 Maidens Rd									
(717)	0.16	180	R				From: 37-629 Old Fredericksburg Road				NA		NA			03/13/2006
							To: Louisa County Line									
(718) Halls Rd	0.80	430	R				From: Dead End				NA		NA			08/24/2006
							To: 37-699 Three Chopt Rd									
(720) Rollins Dr	0.34	80	R				From: SR 6 River Rd West				NA		NA			02/27/2006
							To: US 522 Sandy Hook Rd									
(724)	0.92	1300	R				From: 37-727 Nelwood Place				NA		NA			02/27/2006
							To: 37-726 Nelwood Cove									
(725) Nelwood Rd	0.07	50	R				From: 37-621 Manakin Rd				NA		NA			02/27/2006
							To: Cul-de-Sac									
(725) Nelwood Rd	0.31	70	R				From: Cul-de-Sac				NA		NA			02/27/2006
							To: 37-725 Nelwood Rd									
(726) Nelwood Cove	0.06	20	R				From: 37-725 Nelwood Rd				NA		NA			02/27/2006
							To: Cul-de-Sac									
(727) Nelwood Place	0.11	40	R				From: Dead End				NA		NA			02/27/2006
							To: 37-634 Maidens Rd									
(730)	0.08	180	R				From: Dead End				NA		NA			03/20/2003
							To: 37-702 Pony Farm Rd									
(735) Goodluck Rd	0.55	130	R				From: 37-619 Newline Rd				NA		NA			03/13/2006
							To: 37-1140 Fox Chase Run									
(737) Cabin Rd	0.81	60	R				From: Dead End				NA		NA			07/02/2003
							To: 37-676 Hermitage Rd									
(737) Cabin Rd	2.25	10	R				From: 37-1150 Kinloch Rd				NA		NA			03/30/2006
							To: 37-623 Hockett Rd									
(740)	0.65	NA					From: 37-676 Hermitage Rd				NA		NA			
							To: 37-1150 Kinloch Rd									
(740)	0.60	NA					From: 37-676 Hermitage Rd				NA		NA			
							To: 37-623 Hockett Rd									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Gochland County																
(741)	6.61	NA					From: 37-1250 West Creek Pkwy					NA		NA		
							To: Dead End									
(1000) Plaza Dr	0.33	1500	R				From: US 250 Broad Street Rd					NA		NA		03/19/2003
							To: 37-1013 Briggs Dr									
(1000) Plaza Dr	0.09	1300	R				From: 37-1013 Briggs Dr					NA		NA		03/19/2003
							To: 37-708 St Matthew Lane									
(1000) Plaza Dr	0.29	1900	R				From: 37-708 St Matthew Lane					NA		NA		03/19/2003
							To: 37-623 Ashland Rd									
(1001) Mills Road	0.13	180	R				From: US 250 Broad St					NA		NA		02/27/2006
							To: 37-1002 Pamela Lane									
(1002) Pamela Lane	0.09	100	R				From: 37-1001 Mills Rd					NA		NA		02/27/2006
							To: 37-1004 Dorothy Dr									
(1002) Pamela Lane	0.17	50	R				From: 37-1004 Dorothy Dr					NA		NA		03/19/2003
							To: 37-1003 Burfoot Rd									
(1002) Pamela Lane	0.07	9	R				From: 37-1003 Burfoot Rd					NA		NA		03/19/2003
							To: Dead End									
(1003) Burfoot Rd	0.09	30	R				From: 37-1005 Fawn Lane					NA		NA		02/27/2006
							To: 37-1002 Pamela Lane									
(1004) Dorothy Dr	0.09	30	R				From: 37-1002 Pamela Lane					NA		NA		03/19/2003
							To: 37-1005 Fawn Lane									
(1005) Fawn Lane	0.15	60	R				From: 37-1004 Dorothy Dr					NA		NA		02/27/2006
							To: 37-1003 Burfoot Rd									
(1005) Fawn Lane	0.07	20	R				From: 37-1003 Burfoot Rd					NA		NA		02/27/2006
							To: Dead End									
(1006) Holly Lane	0.16	420	R				From: 37-623 Hockett Rd					NA		NA		03/19/2003
							To: 37-1007 Oak Lane									
(1006) Holly Lane	0.09	360	R				From: 37-1007 Oak Lane					NA		NA		03/19/2003
							To: 37-1008 Birch Rd									
(1006) Holly Lane	0.10	220	R				From: 37-1008 Birch Rd					NA		NA		03/19/2003
							To: 37-1009 Cedar Circle									
(1006) Holly Lane	0.04	30	R				From: 37-1009 Cedar Circle					NA		NA		03/19/2003
							To: Dead End									
(1007) Oak Lane	0.06	60	R				From: 37-1006 Holly Lane					NA		NA		02/27/2006
							To: Dead End									
(1008) Birch Rd	0.05	60	R				From: 37-1006 Holly Lane					NA		NA		03/19/2003
							To: 37-1009 Cedar Circle									
(1008) Birch Rd	0.04	20	R				From: 37-1009 Cedar Circle					NA		NA		03/19/2003
							To: Dead End									
(1009) Cedar Circle	0.12	80	R				From: 37-1008 Birch Rd					NA		NA		02/27/2006
							To: 37-1006 Holly Lane									
(1010) Whipponwill Rd	0.37	190	R				From: Dead End					NA		NA		03/19/2003
							To: US 250 Broad St									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1011) Valentine Rd	0.05	10	R			From: 37-708 St Matthew Lane					NA			NA		02/27/2006
						To: Dead End										
(1012) Little Falls Lane	0.29	150	R			From: 37-708 St Matthew Lane					NA			NA		03/19/2003
						To: Cul-de-Sac										
(1013) Briggs Dr	0.19	1200	R			From: US 250 Broad Street Rd					NA			NA		02/27/2006
						To: 37-1000 Plaza Dr										
(1014) Goins Rd	0.23	20	R			From: 37-623 Hockett Rd					NA			NA		02/27/2006
						To: 37-623 Hockett Rd										
(1018)	0.50	170	R			From: 37-621 Manakin Rd					NA			NA		02/16/2006
						To: Cul-de-Sac										
(1019) Forest Meadow Lane	0.23	60	R			From: Cul-de-Sac					NA			NA		02/13/2006
						To: 37-621 Manakin Rd										
(1020) Broad Run Dr	0.10	260	R			From: 37-621 Manakin Rd					NA			NA		03/19/2003
						To: 37-1021 Deer Run Rd										
(1020) Broad Run Dr	0.48	140	R			From: Cul-de-Sac					NA			NA		03/19/2003
						To: Cul-de-Sac										
(1021) Deer Run Rd	0.30	120	R			From: 37-1020 Broad Run Dr					NA			NA		03/19/2003
						To: Cul-de-Sac										
(1022) Red Fox Rd	0.16	50	R			From: 37-621 Manakin Rd					NA			NA		02/15/2006
						To: Cul-de-Sac										
(1023) Mellick Ridge Rd	0.33	90	R			From: Cul-de-Sac					NA			NA		02/13/2006
						To: 37-1024 Mellick Ridge Court										
(1023) Mellick Ridge Rd	0.08	160	R			From: 37-621 Manakin Rd					NA			NA		02/13/2006
						To: Cul-de-Sac										
(1024) Mellick Ridge Court	0.14	60	R			From: Cul-de-Sac					NA			NA		02/13/2006
						To: 37-1023 Mellick Ridge Rd										
(1025) Goosepoint Court	0.06	60	R			From: Cul-de-Sac					NA			NA		02/16/2006
						To: 37-676 Hermitage Rd										
(1026) Hunting Ridge Rd	0.34	110	R			From: Cul-de-Sac					NA			NA		02/16/2006
						To: 37-1028 Quail Run Dr										
(1026) Hunting Ridge Rd	0.40	290	R			From: 37-1027 W, Game Bird Court					NA			NA		02/16/2006
						To: 37-1027 E, Game Bird Court										
(1026) Hunting Ridge Rd	0.04	290	R			From: 37-1027 E, Game Bird Court					NA			NA		02/16/2006
						To: 37-676 Hermitage Rd										
(1026) Hunting Ridge Rd	0.07	320	R			From: 37-1026 Hunting Ridge Rd					NA			NA		02/16/2006
						To: 37-1026 Hunting Ridge Rd										
(1027) Game Bird Court	0.16	60	R			From: Cul-de-Sac					NA			NA		03/19/2003
						To: 37-1026 Hunting Ridge Rd										
(1028) Quail Run Dr	0.36	110	R			From: Cul-de-Sac					NA			NA		02/16/2006
						To: 37-1026 Hunting Ridge Rd										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Gochland County																
(1029) Hawk Wing Dr	0.34	70	R											NA		03/19/2003
(1030) Holly Lake Dr	0.14	70	R											NA		02/16/2006
(1030) Holly Lake Dr	0.19	140	R											NA		02/16/2006
(1031) Rolling Lake Court	0.13	46	R											NA		03/19/2003
(1032) First Flite Lane	0.30	40	R											NA		03/19/2003
(1035) Perrow Lane	0.50	100	R											NA		02/13/2006
(1037) Cedar Run Court	0.05	30	R											NA		02/13/2006
(1038) Elm Creek Dr	0.38	220	R											NA		02/13/2006
(1039) Crossridge Lane	0.33	90	R											NA		02/13/2006
(1039) Crossridge Lane	0.46	60	R											NA		02/13/2006
(1040) Edgehill Wood Dr	0.42	180	R											NA		02/13/2006
(1040) Edgehill Wood Dr	0.14	160	R											NA		02/13/2006
(1041) Edgehill Wood Court	0.13	60	R											NA		03/19/2003
(1042) Cedar Run Rd	0.89	170	R											NA		02/13/2006
(1043) Cypress Court	0.08	30	R											NA		02/13/2006
(1044) Summit Court	0.10	40	R											NA		02/13/2006
(1045) Red Cedar Dr	0.14	30	R											NA		02/13/2006
(1046) Red Maple Dr	0.11	160	R											NA		03/19/2003
(1046) Red Maple Dr	0.16	80	R											NA		03/19/2003
(1047)	0.04	9	R											NA		02/13/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1050) Adventure Lane	0.23	190	R			From: 37-1052 White Horse Rd					NA			NA		02/27/2006
						To: 37-634 Maidens Rd										
(1051) Rohrer Rd	0.07	30	R			From: 37-1050 Adventure Lane					NA			NA		02/27/2006
						To: Cul-de-Sac										
(1052) White Horse Rd	0.15	60	R			From: Cul-de-Sac SOUTH					NA			NA		02/27/2006
(1052) White Horse Rd	0.09	80	R			From: 37-1050 Adventure Lane					NA			NA		02/27/2006
						To: Cul-de-Sac NORTH										
(1055) Alldever Dr	0.15	130	R			From: 37-634 Maidens Rd					NA			NA		02/27/2006
(1055) Alldever Dr	0.35	70	R			From: 37-1056 Craig Run Court					NA			NA		02/27/2006
						To: Cul-de-Sac										
(1056) Craig Run Court	0.11	30	R			From: Cul-de-Sac					NA			NA		02/27/2006
						To: 37-1055 Alldever Dr										
(1058) Log Cabin Rd	0.86	310	R			From: Cul-de-Sac					NA			NA		03/20/2003
						To: 37-634 Maidens Rd										
(1059) Old Store Rd	0.12	40	R			From: Cul-de-Sac					NA			NA		03/20/2003
						To: 37-1058 Log Cabin Rd										
(1060) Britland Dr	0.52	140	R			From: 37-626 Seay Rd					NA			NA		02/27/2006
						To: Cul-de-Sac										
(1063) Bexley Wood Run	0.34	120	R			From: Cul-de-Sac					NA			NA		08/24/2006
						To: 37-613										
(1064) Sycamore Creek Dr	0.27	50	R			From: US 250 Broad Street Rd					NA			NA		02/16/2006
						To: Cul-de-Sac										
(1065) Rabbit Warren Rd	0.21	80	R			From: US 250 Broad Street Rd					NA			NA		02/16/2006
						To: Cul-de-Sac										
(1077)	0.88	NA				From: 37-634 Maidens Road					NA			NA		
						To: Cul-de-Sac										
(1078) Blackwood Dr	0.22	70	R			From: 37-639 Sheppard Town Rd					NA			NA		03/20/2003
						To: Cul-de-Sac										
(1079) Long Branch Dr	0.13	47	R			From: 37-639 Sheppard Town Rd					NA			NA		03/20/2003
						To: Cul-de-Sac										
(1080) Greenbriar Branch Dr	0.35	180	R			From: 37-632 Fairground Rd					NA			NA		03/20/2003
(1080) Greenbriar Branch Dr	0.11	60	R			From: 37-1081 Wicker Woods Dr					NA			NA		03/20/2003
						To: Cul-de-Sac										
(1081) Wicker Woods Dr	0.23	60	R			From: 37-1080 Greenbriar Branch Dr					NA			NA		10/23/2006
						To: Cul-de-Sac										

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1086) Eastleigh Dr	0.09	30	R				From: Cul-de-Sac				NA			NA		03/30/2006
							To: 37-1092 Tranbycroft Way									
(1087) Checketts Dr	0.22	90	R				From: Cul-de-Sac				NA			NA		03/30/2006
							To: 37-1092 Tranbycroft Way									
(1087) Checketts Dr	0.24	90	R				From: 37-1092 Tranbycroft Way				NA			NA		03/30/2006
							To: Cul-de-Sac									
(1088) Caleherne Ct	0.06	46	R				From: 37-1092 Tranbycroft Way				NA			NA		03/30/2006
							To: Cul-de-Sac									
(1089) Blackfriar Lane	0.03	20	R				From: 37-1092 Tranbycroft Way				NA			NA		03/30/2006
							To: Louisa County Line									
(1090) Broadland Way	0.50	510	R				From: US 522 Sandy Hook Rd				NA			NA		03/30/2006
							To: 37-1091 Hill House Lane									
(1090) Broadland Way	0.15	420	R				From: 37-1091 Hill House Lane				NA			NA		03/30/2006
							To: 37-1092 Tranbycroft Way									
(1091) Hill House Lane	0.09	46	R				From: 37-1090 Broadland Way				NA			NA		03/30/2006
							To: Cul-de-Sac									
(1092) Tranbycroft Way	0.93	230	R				From: Cul-de-Sac				NA			NA		03/30/2006
							To: 37-1090 Broadland Way									
(1092) Tranbycroft Way	0.23	220	R				From: 37-1090 Broadland Way				NA			NA		03/30/2006
							To: 37-1093 Kingsmere Dr									
(1092) Tranbycroft Way	0.06	30	R				From: 37-1093 Kingsmere Dr				NA			NA		03/30/2006
							To: Cul-de-Sac									
(1093) Kingsmere Dr	0.09	30	R				From: Cul-de-Sac				NA			NA		03/30/2006
							To: 37-1094 Parkhouse Court									
(1093) Kingsmere Dr	0.11	150	R				From: 37-1094 Parkhouse Court				NA			NA		03/30/2006
							To: 37-1092 Tranbycroft Way									
(1094) Parkhouse Court	0.17	60	R				From: Cul-de-Sac				NA			NA		03/30/2006
							To: 37-1093 Kingsmere Dr									
(1094) Parkhouse Court	0.15	60	R				From: 37-1093 Kingsmere Dr				NA			NA		03/30/2006
							To: Cul-de-Sac									
(1097) Royal Virginia Pkwy	0.90	390	R				From: Dead End				NA			NA		08/24/2006
							To: 37-606 Hadensville-Fife Rd									
(1101) Berkley Dr	0.10	590	R				From: 37-1102 Brook Run Dr				NA			NA		03/20/2003
							To: 37-650 River Rd									
(1102) Brook Run Dr	0.10	20	R				From: Dead End				NA			NA		02/13/2006
							To: 37-1104 W. Ashley Dr									
(1102) Brook Run Dr	0.40	340	R				From: 37-1104 W. Ashley Dr				NA			NA		02/13/2006
							To: 37-1101 Berkley Dr									
(1102) Brook Run Dr	0.03	520	R				From: 37-1101 Berkley Dr				NA			NA		02/13/2006
							To: 37-1103 Sweetbriar Dr									
(1102) Brook Run Dr	0.49	210	R				From: 37-1103 Sweetbriar Dr				NA			NA		02/13/2006
							To: 37-1104 E. Ashley Dr									

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Gochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Gochland County																
(1103) Sweetbriar Dr	0.12	60	R													03/20/2003
(1103) Sweetbriar Dr	0.40	280	R													03/20/2003
(1104) Ashley Dr	0.10	47	R													02/13/2006
(1104) Ashley Dr	0.08	60	R													02/13/2006
(1105) Willow Oaks Rd	0.20	120	R													03/20/2003
(1106) Lower Tuckahoe Rd	0.06	790	R													02/13/2006
(1107)	0.37	130	R													03/20/2003
(1107)	0.29	270	R													03/20/2003
(1107)	0.06	290	R													03/20/2003
(1107)	0.11	340	R													03/20/2003
(1107)	0.07	330	R													03/20/2003
(1107)	0.12	560	R													03/20/2003
(1107)	0.05	170	R													03/20/2003
(1107)	0.11	100	R													03/20/2003
(1108) Roads End Lane	0.13	50	R													02/13/2006
(1109) Briarwood Circle	0.24	100	R													03/20/2003
(1110) Knollwood Dr	0.12	60	R													02/13/2006
(1111) Dahlgren Rd	0.54	300	R													03/20/2003
(1111) Dahlgren Rd	0.15	130	R													03/20/2003
(1111) Dahlgren Rd	0.11	180	R													03/20/2003
(1112) Flag Stage Rd	0.25	100	R													02/13/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1113) Buck Branch Dr	0.29	180	R								NA			NA		03/20/2003
(1114) Dover Place	0.05	20	R								NA			NA		02/13/2006
(1115) Partridge Rd	0.50	140	R								NA			NA		03/20/2003
(1116) Mystic Court	0.15	60	R								NA			NA		02/13/2006
(1120) Hill Point Rd	0.17	50	R								NA			NA		02/13/2006
(1120) Hill Point Rd	0.25	270	R								NA			NA		02/13/2006
(1120) Hill Point Rd	0.05	500	R								NA			NA		02/13/2006
(1121) Lower Tuckahoe Court	0.06	47	R								NA			NA		03/20/2003
(1122) Hill Point Court	0.05	50	R								NA			NA		02/13/2006
(1123) Dunaway Dr	0.11	30	R								NA			NA		02/13/2006
(1126)	0.17	250	R								NA			NA		02/13/2006
(1127)	0.19	160	R								NA			NA		02/13/2006
(1128) Drew Ridge Dr	0.41	230	R								NA			NA		08/22/2006
(1129) Royal Ridge Court	0.33	80	R								NA			NA		08/22/2006
(1130) Rockford Rd	0.29	160	R								NA			NA		02/16/2006
(1130) Rockford Rd	0.20	160	R								NA			NA		02/16/2006
(1130) Rockford Rd	0.49	570	R								NA			NA		02/16/2006
(1131) Wheatlands Dr	1.12	210	R								NA			NA		03/20/2003
(1132) Harolds Dr	0.35	130	R								NA			NA		02/16/2006
(1133)	0.25	NA									NA			NA		

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1134) Massies Lane	0.17	200	R								NA		NA			03/20/2003
(1135) Ford Rd	0.76	320	R								NA		NA			02/16/2006
(1136) Fed Lane	0.33	100	R								NA		NA			02/16/2006
(1137) Willowtrace Lane	0.96	220	R								NA		NA			03/30/2006
(1140) Fox Chase Run	0.40	290	R								NA		NA			03/30/2006
(1141) West Grey Fox Circle	0.95	210	R								NA		NA			03/30/2006
(1142)	0.11	40	R								NA		NA			03/30/2006
(1142)	0.39	60	R								NA		NA			03/30/2006
(1143) Elm Creek Drive	0.37	260	R								NA		NA			02/16/2006
(1144) Elm Creek Circle	0.08	60	R								NA		NA			02/13/2006
(1145) Mill Trace Lane	0.55	260	R								NA		NA			03/30/2006
(1146) Stone Creek Dr	0.77	220	R								NA		NA			03/30/2006
(1147) Rockcross Lane	0.33	210	R								NA		NA			03/30/2006
(1148) Stonecasatle Lane	0.21	NA									NA		NA			
(1149) Heathmill Rd	0.15	40	R								NA		NA			03/30/2006
(1150) Kinloch Rd	0.16	70	R								NA		NA			02/16/2006
(1150) Kinloch Rd	0.31	200	R								NA		NA			02/16/2006
(1151) Kinloch Rd	0.22	100	R								NA		NA			02/16/2006
(1200) Turkey Creek Rd	0.28	520	R								NA		NA			02/27/2006

Virginia Department of Transportation
Traffic Engineering Division
2006
Annual Average Daily Traffic Volume Estimates By Section of Route
Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1201) Courthouse Dr	0.10	740	R			From: US 522 River Road West					NA			NA		02/27/2006
						To: 37-1202 Courthouse Circle										
(1202) Courthouse Circle	0.28	530	R			From: US 522 River Road West					NA			NA		03/20/2003
						To: 37-1201 Courthouse Dr										
(1205) Pitts Ave	0.22	60	R			From: 37-631 Scott Rd					NA			NA		02/27/2006
						To: 37-666 Gathright Dr										
(1210) Horsepen Rd	0.49	130	R			From: Cul-de-Sac					NA			NA		03/20/2003
						To: 37-632 Fairground Rd										
(1213) Road A	0.08	790	R			From: US 250 Broad Street Rd					NA			NA		02/16/2006
						To: 37-1214 Road B										
(1213) Road A	0.09	590	R			From: Dead End					NA			NA		02/16/2006
						To: 37-1213 Road A										
(1214) Road B	0.18	360	R			From: Cul-de-Sac					NA			NA		06/01/2003
						To: 37-1213 Road A										
(1215) Valpark Dr	0.59	110	R			From: FR-92 Landis Rd					NA			NA		06/01/2003
						To: 37-1215 Valpark Dr										
(1216) Tri County Dr	0.56	110	R			From: Cul-de-Sac					NA			NA		06/01/2003
						To: 37-1215 Valpark Dr										
(1220) Fox Downs Lane	0.41	120	R			From: Cul-de-Sac					NA			NA		02/16/2006
						To: 37-1222 Huntsman Circle										
(1220) Fox Downs Lane	0.59	290	R			From: Cul-de-Sac					NA			NA		02/16/2006
						To: 37-1221 Lake Pointe Circle										
(1220) Fox Downs Lane	0.34	390	R			From: US 250 Broad Street Rd					NA			NA		02/16/2006
						To: Cul-de-Sac										
(1221) Lake Pointe Circle	0.08	60	R			From: Cul-de-Sac					NA			NA		06/17/2003
						To: 37-1220 Fox Downs Lane										
(1222) Huntsman Circle	0.14	40	R			From: Cul-de-Sac					NA			NA		02/16/2006
						To: Cul-de-Sac										
(1223) Ridgewell Dr	0.40	220	R			From: Cul-de-Sac					NA			NA		03/13/2006
						To: 37-632 Fairground Rd										
(1224) Madison Court	0.09	20	R			From: 37-1223 Ridgewell Dr					NA			NA		10/02/2006
						To: Cul-de-Sac										
(1225) Elizabeth Lane	0.16	30	R			From: 37-1226 Copperstone Ct					NA			NA		10/02/2006
						To: 37-1223 Ridgewell Dr										
(1226) Copperstone Ct	0.15	100	R			From: Cul-de-Sac					NA			NA		10/02/2006
						To: Cul-de-Sac										
(1230) Shade Hunter Lane	0.30	80	R			From: 37-632 Fairground Rd					NA			NA		03/20/2003
						To: Cul-de-Sac										

Virginia Department of Transportation
 Traffic Engineering Division
 2006
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Goochland Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Goochland County																
(1231)	0.98	NA					From: 37-670 Cardwell Rd					NA		NA		
							To: End of Loop									
(1232)	0.11	NA					From: Cul-de-Sac					NA		NA		
							To: 37-1231									
(1233)	0.03	NA					From: 37-1231					NA		NA		
							To: Cul-de-Sac									
(1234)	0.03	NA					From: Cul-de-Sac					NA		NA		
							To: 37-1231									
(1240) Hill Stream Dr	0.25	110		R			From: Cul-de-Sac					NA		NA		02/27/2006
							To: 37-620 Hanover Rd									
(1250) West Creek Pkwy	2.97	2800		R			From: SR 6 W, Patterson Ave					NA		NA		02/27/2006
							To: SR 6 E, Patterson Ave									
(9168) Byrd Primary School	0.07	170		R			From: Byrd Primary School					NA		NA		10/02/2006
							To: 37-606 Hadensville-Fife Rd									
(9170) Goochland Elem Sch	0.14	630		R			From: Goochland Elem Sch					NA		NA		10/02/2006
							To: SR 6 River Rd West									
(9171) Goochland High Sch	0.08	1100		R			From: Goochland High Sch					NA		NA		10/02/2006
							To: US 522 Sandy Hook Rd									
(9172) Cardwell School	0.09	230		R			From: Chadwell School					NA		NA		03/20/2003
							To: 37-670 Cardwell Rd									
(9173) Randolph Elem Sch	0.10	500		R			From: Randolph Sch					NA		NA		10/02/2006
							To: 37-639 Sheppard Town Rd									
(9174) Central High Sch	0.17	470		R			From: 37-614 Dogtown Rd					NA		NA		10/02/2006
							To: Goochland Jr High									
(9661) Goochland Central Elem	0.08	320		R			From: 37-614 Dogtown Rd					NA		NA		06/02/2003
							To: Kanawha Elem Sch									
(771) Echo Meadows Road	0.63	410		R			From: Hanover County Line					NA		NA		08/09/2002
							To: Hanover County Line									